



BS EN 14351 - 1:2006+A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE
TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

DECLARATION OF CONFORMITY

THIS IS TO CERTIFY THAT

SOUTHERN WINDOW SYSTEMS (UK) LTD

OF

18 HYDE GARDENS

EASTBOURNE

EAST SUSSEX

BN21 4TP

HAVE CONFORMED TO EN 14351-1:A1:2010 ANNEX ZA

FOR

**VERTICAL SLIDING, TILT & TURN, CASEMENT WINDOWS AND DOORS
INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS**

BY

**INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING
WITH EN 14351-1:A1:2010 ANNEX ZA**

**PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND PERFORMANCE
INDICATION PAPERS FOR ALL COMPONENTS**

**INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS
LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8
THERMAL CHARACTERISTICS - Clause 4.12
DANGEROUS SUBSTANCES - Clause 4.6**

SIGNED M.A. [Signature]

DATE 19/6/15

POSITION Director



SOUTHERN WINDOW SYSTEMS (UK) LTD
18 HYDE GARDENS
EASTBOURNE
EAST SUSSEX
BN21 4TP

14

EN 14351-1:A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTIC

System: : PVCu or Timber Windows and Doors


<u>Characteristics</u>	Declared Value
Dangerous Substances	None
Thermal Transmittance	$\leq 3.2W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	$\leq 1.0W/(m^2K)$

SIGNED M.A. [Signature]

DATE 22/6/15

POSITION Director

**Southern
Window
Systems (UK) Ltd**



Your local window supplier & installer

**ALTERNATIVE IMPROVED THERMAL
PERFORMANCE & "U" VALUES ARE
AVAILABLE BY REFERING TO THE SPECIFIC
VALIDATED SIMULATION OR TEST REPORTS**


Suppliers to the Trade & Retail

**105 Sedlescombe Road North, St. Leonards-on-Sea, East Sussex TN37 7EJ
Telephone: 01424 437923**

VAT No. 211 9332 40 Company Registration No. 9540346
Registered Office: 18 Hyde Gardens, Eastbourne, East Sussex BN21 4PT

T/A Southern Window Systems Ltd

**Southern
Window
Systems (UK) Ltd**



Your local window supplier & installer

C E MARKING

RE: EN 14351-1 4.6
DANGEROUS SUBSTANCES DECLARATION

We confirm that our manufactured products are not liable to emission or migration of dangerous substances, which could constitute a hazard to health, hygiene or the environment, during the performance of their normal intended use.

C E MARKING TO BS EN 1279 - 5 ANNEX ZA

DANGEROUS SUBSTANCES

Glass is an inert product and only constitutes a risk if broken. This break risk is covered by building regulations within Safety Glazing requirements."

During the normal, intended use and performance of the Insulated Glass Units, they will not cause any adverse effect on hygiene, health or the environment.

Suppliers to the Trade & Retail

105 Sedlescombe Road North, St. Leonards-on-Sea, East Sussex TN37 7EJ
Telephone: 01424 437923

VAT No. 211 9332 40 Company Registration No. 9540346
Registered Office: 18 Hyde Gardens, Eastbourne, East Sussex BN21 4PT